

Terostat MSP Adhesive Consumption Guide

Round Beads – (45° Cut Nozzle)

Diameter (mm)	Cross Section Area (mm ²)	Meter Coverage 300-310ml Ctg	Meter Coverage 570-600ml Ssg
2	3.1	96-100	194
3	7.1	42-44	86
4	12.5	24-25	48
5	19.5	15-16	31
6	28.2	11	21
7	38.5	8	16
8	50.3	6	12
9	63.6	5	9
10	78.5	4	7

Triangular Beads – (V-Cut Nozzle)













Dimensions b x h (mm)	Cross Section Area (mm ²)	Meter Coverage 300-310ml Ctg	Meter Coverage 570-600ml Ssg
4 x 4	8	38-39	76
4 x 5	12	25-26	50
5 x 5	12.5	24-25	48
5 x 7	17.5	17-18	34
5 x 9	22.5	13-14	26
6 x 6	18	16-17	33
6 x 8	24	12-13	25
6 x 10	30	10	20
7 x 7	24.5	12-13	24
7 x 9	31.5	10	20
7 x 11	38.5	8	16
8 x 8	32	10	20
8 x 10	40	8	16
8 x 12	48	6	12

Joint/Back Fill

Depth of Joint (mm)	Meter Coverage 300-310ml Ctg					
	Width of Joint (mm)					
	5	10	15	20	25	30
1	52	31	20.5	15.5	12.4	10.3
2	31	15.5	10.3	7.8	8.2	5.2
3	20.5	10.3	5.9	5.2	4.1	3.4
4	15.5	7.8	5.2	4	3.1	2.5
5	12.4	6.2	4.1	3.1	2.5	2
6	10.3	5.2	3.4	2.6	2	1.7
7	8.3	4.4	3	2.2	1.8	1.5
8	7.8	3.9	2.5	1.9	1.6	1.3
9	6.9	3.5	2.3	1.7	1.4	1.1
10	6.2	3.1	2	1.6	1.2	1

Terostat MSP Adhesive Compression Dimensions

Compressed Triangular Beads – (V-Cut Nozzle)

V-Cut Nozzle	=	Joint/Back Fill
 <p>5mm 5mm</p>	=	 <p>15mm 1mm</p>
 <p>8mm 8mm</p>	=	 <p>15mm 2mm</p>
 <p>10mm 8mm</p>	=	 <p>20mm 2mm</p>
 <p>12mm 8mm</p>	=	 <p>10mm 5mm</p>
 <p>12mm 10mm</p>	=	 <p>20mm 3mm</p>
 <p>15mm 10mm</p>	=	 <p>15mm 5mm</p>